

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
24 June 2004 (24.06.2004)

PCT

(10) International Publication Number
WO 2004/052963 A1

(51) International Patent Classification⁷: **C08G 77/388**,
77/26, 77/54, A61K 7/32, 7/48

Rintje, Pieter [NL/NL]; Sonniusstraat 16, NL-5212 AK
'S-Hertogenbosch (NL).

(21) International Application Number:
PCT/NL2003/000870

(74) Agents: VAN WESTENBRUGGE, Andries et al.; Ned-
erlandsch Octrooibureau, Scheveningseweg 82, P.O. Box
29720, NL-2502 LS The Hague (NL).

(22) International Filing Date: 9 December 2003 (09.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02080202.1 9 December 2002 (09.12.2002) EP
60/431,712 9 December 2002 (09.12.2002) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK,
MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT,
RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(71) Applicant (*for all designated States except US*):
SUPRAPOLIX B.V. [NL/NL]; EUtech-park MMP
1.28, NL-5612 AX Eindhoven (NL).

(84) Designated States (*regional*): ARIPO patent (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE,
SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): BOSMAN, Anton,
Willem [NL/NL]; Picushof 9, NL-5613 SB Eindhoven
(NL). JANSSEN, Henricus, Marie [NL/NL]; Gen-
ovevalaan 172, NL-5625 AM Eindhoven (NL). VAN
GEMERT, Gaby, Maria, Leonarda [NL/NL]; Ri-
jpeplein 21, NL-5709 BT Helmond (NL). VERSTEGEN,
Ronny, Mathieu [NL/NL]; De Braak 9A, NL-5963 BA
Horst (NL). MEIJER, Egbert, Willem [NL/NL]; Schoen-
makerslaan 7, NL-5583 GC Waalre (NL). SIJBESMA,

Published:

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

WO 2004/052963 A1

(54) Title: SILOXANE POLYMERS WITH QUADRUPLE HYDROGEN BONDING UNITS

(57) Abstract: The invention relates to the synthesis of siloxane polymers containing self-complementary quadruple hydrogen bonding groups (4H-units). The resulting polymers show unique new characteristics that result from the reversible, physical interactions between the polysiloxane chains that are based on the (supramolecular) interactions between the 4H-units. The polysiloxanes in this invention show unprecedented bulk material properties and are used as gelling agents for silicone fluids. The resulting gels are clear and display good material properties, while having unparalleled high silicone fluid contents.

Siloxane polymers with quadruple hydrogen bonding units

Field of the invention

5 The invention relates to the synthesis of siloxane polymers containing self-complementary quadruple hydrogen bonding groups (4H-units). The resulting polymers show unique new characteristics that result from the reversible, physical interactions between the polysiloxane chains that are based on the (supramolecular) interactions between the 4H-units. The polysiloxanes in this invention show unprecedented bulk
10 material properties and are used as gelling agents for silicone fluids. The resulting gels are clear and display good material properties, while having unparalleled high silicone fluid contents.

Background and description of the invention

15 This invention relates to siloxane-based polymers (polysiloxanes) with different architectures and molecular weights that contain units that are capable of forming strong H-bridges with each other leading to reversible physical interactions between different polymer chains in bulk and in solution. The supramolecular H-bridge
20 interactions are specific as they exist between self-complementary units containing 4 hydrogen bonds in a row (i.e. 4H-units), and the action of these 4H-units results in superior material characteristics. For details on the 4H-unit, see Sijbesma et al. WO 98/14505; Science, 278, 1601.

 Although several telechelic polymers have been modified with 4H-units before
25 (Folmer, B.J.B. et al., Adv. Mater. 2000, Vol. 12, 874), only one example of a low molecular weight telechelic polysiloxane modified with 4H-units has been described previously in patent WO 98/14505; (later published in Hirschberg et al., Macromolecules 1999, Vol. 32, 2696). Major drawback of the polysiloxane polymer described in this patent is the elaborate procedure to couple the 4H-unit to the polymer
30 in which a protection/deprotection procedure is necessary. Moreover, the resulting polymer contains only two 4H-units on both ends and has a limited molecular weight.

This invention is further related to the use of polysiloxanes functionalized with 4H-units as gelling agents for silicone fluids (for example, volatile or non-volatile silicone liquids). The resulting gels are clear and contain small amounts of gelling agent; their physical characteristics can be fine-tuned by selecting the right 4H-unit
5 modified polysiloxane or by combining a set of such polysiloxanes. Moreover, the prepared gels can be used in personal care applications, for example as carriers for cosmetic or dermatological active ingredients in order to obtain cosmetic or dermatological active compositions. Particular embodiments of the present invention are skin-care compositions such as deodorant and antiperspirant compositions, sun
10 protection compositions and hair-care compositions.

Because gels based on volatile silicones (cyclomethicones) reduce tackiness and stickiness of cosmetic or dermatological formulations, there has been an increasing need for cosmetic or dermatological compositions with high cyclomethicone content. In US Pat. No. 5,500,209 this has been achieved by using polyamides as gelling agent,
15 however only limited amounts of cyclomethicones can be added because of the immiscibility with the polyamide and the high crystallinity of the polyamide.


In order to improve the miscibility with silicone fluids, polyamides containing polysiloxane blocks have been prepared, as described in US Pat. No. 5,874,069, and US Pat. No. 6,353,076B1. Drawbacks of these inventions are the poor gelling
20 characteristics compared to the gellants disclosed here, because of the relatively weak interactions between different polyamides. As a consequence, high molecular weight polymers have to be used to obtain stable gels, the amount of gelling agent has to be high, and non-silicone viscosity builders have to be added.

In US Pat. No. 5,919,441 main-chain siloxane urea polymers are used containing
25 polysiloxane-segments and polar segments with urea, urethane, amide and thiourea groups or combinations of these groups. Drawbacks of this invention are the high molecular weights of the used polymers, hampering good processability of the material, and the presence of a relatively high amount of non-siloxane, cyclomethicone immiscible groups, thereby reducing the amount of cyclomethicone that can be
30 thickened by the gelling agent. Moreover, a major drawback of this invention is the relative weakness of the secondary interactions between different polysiloxanes, as this requires high amounts of thickener to obtain stable gels and additional viscosity builders in the cosmetic applications.


This invention describes the unprecedented synthesis of polysiloxanes containing one or more 4H-units capable of forming strong, but reversible physical interactions with each other. Due to the presence of the 4H-units the polysiloxanes display unique new material properties in bulk and in solution. In a particular embodiment of this invention, the effective gelling behavior of these modified polysiloxanes is used to thicken volatile silicone solvents, creating transparent gels with low or very low thickener content and excellent material properties. The resulting thickened volatile silicones are ideal carriers for cosmetic or dermatological active ingredients and therefore have several cosmetic or dermatological applications.

Description of siloxane polymers containing self-complementary quadruple hydrogen groups

The polysiloxanes described in this invention preferably correspond to the following general formulae (3a) or (3b):



(3a)




(3b)

in which the radicals R1, that may be identical or different, are selected from substituted and unsubstituted monovalent nonaromatic ethylenically free C₁-C₂₀ hydrocarbon radicals, or are selected from aromatic radicals, Q₁ and Q₂ and Q₃ are equal and denote one or more structural elements that are capable of forming at least four hydrogen bridges (also referred to as 4H-unit) and that are attached via a linker through a silicon-carbon bond to the polymer, or Q₁ and Q₃ are equal and denote one or more 4H-units attached via a linker through a silicon-carbon bond to the polymer and Q₂ is defined as R1, or Q₁ denotes one or more 4H-units attached via a linker through a

silicon-carbon bond to the polymer and Q_2 and Q_3 are defined as R_1 , or Q_2 denotes one or more 4H-units attached via a linker through a silicon-carbon bond to the polymer and Q_1 and Q_3 are equal and are defined as R_1 , Q_4 is a 4H-unit having two linkers that are attached through a silicon-carbon bond to the polymer chain, and m , n and c are
 5 integers such that the mean molecular weight of the polysiloxane ranges from 500 to 250000.

R_1 is preferably an alkyl radical, more preferably a C_1 - C_{20} alkyl radical and especially a methyl, ethyl, propyl, isopropyl, butyl, pentyl, hexyl, octyl, decyl, dodecyl or an octadecyl radical, a cycloalkyl radical, more preferably a C_1 - C_{20} cycloalkyl
 10 radical, even more preferably a C_1 - C_{10} cycloalkyl radical and in particular a cyclohexyl radical, an aryl radical, more preferably a C_1 - C_{20} aryl radical, even more preferably a C_1 - C_{10} aryl radical and especially a phenyl or a naphthyl, an arylalkyl radical, more preferably a C_1 - C_{20} arylalkyl radical, even more preferably a C_1 - C_{10} arylalkyl radical and especially a benzyl, phenylethyl, tolyl or a xylyl radical. Most preferably R_1 is a
 15 methyl radical.

In general, the structural element (4H-unit) that is capable of forming four hydrogen bridges preferably has the general form of (1) or (2):



In all general forms shown above, the $C-X_i$ and $C-Y_i$ linkages each represent a single or
 20 double bond, and $X_1 \dots X_4$ represent donors or acceptors that form hydrogen bridges with the H-bridge-forming unit containing a corresponding structural element (2) linked to them, with X_i representing a donor and Y_i an acceptor or vice versa. Properties of the structural element having general forms (1) or (2) are disclosed in US 6.320.018 which for the US practice is incorporated herein by reference.

25 The 4H-units contain four donors or acceptors, are self-complementary and in pairs form four hydrogen bridges with one another. Preferably, the 4H-unit has two

successive donors, followed by two successive acceptors, preferably structural elements according to the general form (1), in which X_1 and X_2 both represent a donor or an acceptor, respectively, and X_3 and X_4 both an acceptor or a donor, respectively. According to the invention, the donors and acceptors are preferably O, S, and/or N atoms.

Molecules that can be used to construct the structural element Q_n (see formulae (3a) and (3b)) are nitrogen containing compounds that are reacted with isocyanates or thioisocyanates, or that are activated and reacted with primary amines, to obtain a urea moiety that is part of the quadruple hydrogen bonding site. The nitrogen containing compound is preferably an isocytosine derivative (i.e. a 2-amino-4-thymidone or otherwise named 2-amino-4-hydroxy pyrimidine derivative) or a triazine derivative, or a tautomer of these derivatives. More preferably, the nitrogen containing compound is an isocytosine having an alkyl, alkyl carboxylic acid or oligoethylene glycol in the 6-position, most preferably a methyl or ethylhexyl group, or an isocytosine with a methyl in the 6-position and a 2-hydroxy ethyl group in the 5-position. The isocyanates or the thioisocyanates can be monofunctional isocyanates or monofunctional thioisocyanates or bifunctional diisocyanates or bifunctional thioisocyanates. Preferably, these compounds are diisocyanates or dithioisocyanates, in particular diisocyanates. Examples of suitable diisocyanates that can be used in this invention are:


- 1,4-diisocyanato-4-methyl-pentane,
- 1,6-diisocyanato-2,2,4-trimethylhexane,
- 1,6-diisocyanato-2,4,4-trimethylhexane,
- 1,5-diisocyanato-5-methylhexane,
- 3(4)-isocyanatomethyl-1-methylcyclohexyl isocyanate,
- 1,6-diisocyanato-6-methyl-heptane,
- 1,5-diisocyanato-2,2,5-trimethylhexane,
- 1,7-diisocyanato-3,7-dimethyloctane,
- 1-isocyanato-1-methyl-4-(4-isocyanatobut-2-yl)-cyclohexane,
- 1-isocyanato-1,2,2-trimethyl-3-(2-isocyanato-ethyl)-cyclopentane,
- 1-isocyanato-1,4-dimethyl-4-isocyanatomethyl-cyclohexane,
- 1-isocyanato-1,3-dimethyl-3-isocyanatomethyl-cyclohexane,
- 1-isocyanato-1-n-butyl-3-(4-isocyanatobut-1-yl)-cyclopentane.
- 1-isocyanato-1,2-dimethyl-3-ethyl-3-isocyanatomethyl-cyclopentane,

- 3(4)-isocyanatomethyl-1-methylcyclohexyl isocyanate (IMCI),
 toluene diisocyanate (TDI),
 methylene diphenyl diisocyanate (MDI),
 methylene dicyclohexane 4,4-diisocyanate,
 5 isophorone diisocyanate (IPDI), hexane diisocyanate (HDI).

Examples of suitable thioisocyanates are the dithioisocyanate derivatives of the compounds exemplified above for suitable dithiocyanates.

Preferably, the diisocyanate is IPDI, HDI, MDI, TDI or methylene dicyclohexane 4,4-diisocyanate and their thioisocyanate counterparts. According to the invention,
 10 however, the diisocyanates are more preferably used than dithioisocyanates.

A particularly suitable structural element Q_n according to the invention is the element shown below having the general formulae (4), and tautomers thereof:



15 (4)

wherein R2, R3 or R4 represent a linking moiety through which the 4H-unit according to formula (4) is bonded to the polysiloxane with the other R groups representing a random side chain or are hydrogen atoms. More preferably, R2 is the linking moiety,
 20 whereas R3 and R4 are a random side chain or are hydrogen atoms. Most preferably, R3 is a random side chain and R4 a hydrogen atom, wherein the random side chain is an alkyl or oligoethylene glycol group, most preferably methyl or ethylhexyl. In another embodiment of this invention, R2 and R3, or R2 and R4 represent linking moieties through which the 4H-unit according to formula (4) is bonded to the
 25 polysiloxane with the other R group representing a random side chain or a hydrogen atom. More preferably, R2 and R4 are the linking moieties, whereas R3 is a random side chain or a hydrogen atom. Most preferably, the random side chain is an alkyl or oligoethylene glycol group, most preferably methyl or ethylhexyl.

The linking moieties may be all kinds of shorter or longer chains, for example
 30 saturated or unsaturated, branched, cyclic or linear alkyl chains, oligosiloxane chains, oligoester chains, oligoether chains and any chain of atoms used in traditional polymer

chemistry, whether or not substituted with functional groups such as esters, ethers, ureas or urethanes. Preferably, the linking moiety is a C₁-C₂₀ straight chain or branched alkylene, arylene, alkarylene or arylalkylene group, more preferably a C₂-C₁₀ straight chain or branched alkylene, arylene, alkarylene or arylalkylene group, wherein the
5 alkylene, arylene, alkarylene or arylalkylene group may be substituted with other groups or may contain cyclic groups as substituent or in the main chain. Examples of such groups are methylene, ethylene, propylene, tetramethylene, pentamethylene, hexamethylene heptamethylene, octamethylene, nonamethylene, 1,6-bis(ethylene)cyclohexane, 1,6-bismethylene benzene, etc. The alkylene, arylene,
10 alkarylene or arylalkylene groups may be interrupted by heteroatoms, in particular heteroatoms selected from the group of oxygen, nitrogen, and sulphur.

Examples of the structural element Q_n are elements according to formula (4) in which R₂ is a propylene group, R₃ is a methyl and R₄ is a proton, or in which R₂ is [1,3,3-trimethyl-5-(3-propyl-ureido)-cyclohexyl]-methyl, R₃ is methyl and R₄ is a
15 proton, or in which R₂ is 3-(3-propyl-ureido-methyl)-3,5,5-trimethyl-cyclohexyl, R₃ is methyl and R₄ is a proton, or in which R₂ is 3-(hexyloxycarbonylamino-methyl)-3,5,5-trimethyl-cyclohexyl, R₃ is methyl and R₄ is [3-(hexyloxycarbonylamino-methyl)-3,5,5-trimethyl-cyclohexyl]-carbamic acid ethyl ester.

The number of repeat units m, see formula (3a), ranges from 0 to 700, more
20 preferentially from 0 to 50, even more preferentially from 0 to 10.

The number of repeat units n, see formulae (3a) and (3b), ranges from 0 to 700, more preferentially from 5 to 400.

According to the present invention the polysiloxanes modified with 4H-units are obtained in five different ways: (i) polysiloxanes containing functional end groups are
25 reacted with a reactive synthon containing the 4H-unit or with a reactive synthon thus creating the 4H-unit, or (ii) polysiloxanes containing pendant functional groups along the polymer chain in a comb-branch fashion are reacted with a reactive synthon containing the 4H-unit or with a reactive synthon thus creating the 4H-unit, or (iii) polysiloxanes containing functional end-groups and pendant functional groups along
30 the polymer chain in a comb-branch fashion are reacted with a reactive synthon containing the 4H-unit or with a reactive synthon thus creating the 4H-unit, or (iv) by ring opening polymerization of a cyclic siloxane monomer in the presence of a functional terminator containing two or more 4H-units, or (v) by co-polymerization of

cyclic siloxane monomers with cyclic siloxane monomers that are functionalized with one or more 4H-units.

In a preferred embodiment of this invention the functional pendant groups and end-groups in the polysiloxane are hydride, aminopropyl, aminoethylaminopropyl, aminoethylaminoisobutyl, alkanol, hexanol, an aliphatic diol, hydroxy terminated poly(ethyleneglycol), hydroxy terminated poly(ethylene-co-propylene) glycol, or hydroxy terminated oligocaprolacton. When the polysiloxane contains hydride functions, the 4H-unit according to formula (4) is preferably defined with R2 is allyl, R3 is methyl, R4 is proton. When the polysiloxane contains amino and/or alcohol functions, the 4H-unit according to formula (4) is defined with R2 forms an imidazole-
ring with the nitrogen attached to R2, R3 is methyl, R4 is proton, or R2 is methyl(3-isocyanato-3,5,5-trimethyl-cyclohexyl) or 1,3,3-trimethyl-5-(isocyanatomethyl)-cyclohexyl, and R3 is methyl, R4 is proton.

Examples of polysiloxanes with functional groups include the following (1) to (3) pre-polymers:

(1) telechelic polysiloxanes: specific examples include, hydride functional series sold as DMS-H21, DMS-H25, DMS-H31 (Gelest); amino-functional series sold as DMS-A12, DMS-A15, DMS-A21, DMS-A32 (Gelest), or X-22-161B, KF-8012 (Shin-Etsu); alcohol functional series KF-6001, KF-6002, KF-6003, X-22-176-DX (Shin-Etsu), or TEGO IS 4181, TEGO IS 4480 P (Goldschmidt).

(2) pendant functional polysiloxanes: specific examples include, hydride functional series sold as HMS-064, HMS-071, HES-992, HAM-303 (Gelest); amino-functional series sold as AMS-152, AMS-162 (Gelest), or KF-864, KF-868 (Shin-Etsu), or amidomethicones sold under several trade names by Shin-Etsu, Dow Corning Corporation, GE-Bayer Silicones, Wacker-Chemie, or hydroxyl-functional dimethicone copolyols sold under several trade names by Shin-Etsu, Dow Corning Corporation, GE-Bayer Silicones.

(3) pendant and end group functional polysiloxanes: specific examples include, hydride functional series sold as HDP-111, HPM-502 (Gelest); amino- and alkoxy-functional series sold as KF857, KF-862 (Shin-Etsu).

In another embodiment of this invention the previous mentioned polysiloxanes modified with 4H-units are used as thickeners of silicone fluids. The combination of the high solubility of the polysiloxanes in silicones and the strong interchain

interactions caused by the presence of the 4H-units, result in the formation of gels with high silicone contents up to about 98%. Examples of silicone fluids that can be gelled are linear siloxanes known as dimethicones, linear siloxanes containing an aromatic substitution such as phenyltrimethicone and cyclic siloxanes having 4-6 members in a ring, optionally substituted by C₁-C₆ alkyl or phenyl, particularly cyclic dimethyl
5 siloxanes such as cyclomethicones. Mixtures of these silicone fluids may also be used.

The thickeners described in the present invention are fully miscible with silicones solvents such as cyclomethicone due to their high silicone content and relatively low molecular weight. Gellation of silicone solvents takes place by an amount of thickener
10 in between 1-40% by weight, more particularly 1-25% by weight, most particularly 2-15% by weight.

Clear gels are obtained by heating the polysiloxane modified with the 4H-unit in the presence of silicone fluid at a temperature between 25 and 130 °C, followed by cooling to room temperature. Dependent on the nature and the amount of the
15 polysiloxane modified with the 4H-unit that is used, the gels are structurally stable from 0° - 60 °C.

The rigidity of the gels is strongly dependent on the polysiloxane gellant that is used. Increasing the number of 4H-units per chain leads to a more rigid gel, while increasing the molecular weight of the polysiloxane makes the gel stronger.
20 Consequently, a complete range of gels can be obtained, from soft to firm, by mixing different types of gelling agents in different amounts of silicone fluid, and in different kinds of silicone fluids.

Personal care applications such as cosmetic or dermatological compositions can be formulated by adding at least one cosmetic or dermatological active ingredient in a
25 sufficient amount to the silicone fluid and the polysiloxane thickener in such a way that a composition is obtained with the right cosmetic or dermatological activity and the right viscosity. Optionally, surface-active agents, emollients, and/or solvents for the cosmetically active material are added to the composition. Moreover, the composition can have different physical appearances depending on amount and nature of the
30 polysiloxane thickeners described in this invention, for example: stick, gel, cream, mousse or solution.

The reversible nature of the 4H-units allows easy application of the cosmetic or dermatological composition by the user since heating and/or diluting of the

composition results in a dramatic lowering of the viscosity and consequently a composition that is much easier to process. These processing advantages together with the specific beneficial characteristics of polysiloxanes in cosmetic products that are well known in the art (i.e. reduced stickiness and tackiness), result in unique applications in hair care products, make-up products, skin care products, antiperspirants, deodorants, all dependent on the specific cosmetic active ingredient added.

EXAMPLES


The invention will now be clarified with examples, without however being limited thereby.

The following examples describe:

- (i) the synthesis of building blocks; reactive synthons that contain the 4H-unit or that give the 4H-unit after reaction with functional polysiloxanes,
- (ii) coupling of reactive synthon building blocks to functional polysiloxanes; a variety of coupling strategies is presented,
- (iii) the bulk properties of modified polysiloxanes by discussing the rheological properties of one polysiloxane,
- (iv) gelling experiments.

(i) The synthesis of building blocks

Synthesis building block 1




Allylisocyanate (3.12 mL) was added to methyl-isocytosine (or 2-amino-4-hydroxy-6-methyl-pyrimidine, 4.0 g) suspended in methylethylketon (80 mL) and pyridine (5 mL), and subsequently stirred for 20 h at 80 °C under an argon atmosphere. After cooling to room temperature, the product was filtered, washed with pentane and dried in vacuum.

11


A white powder was obtained. ^1H NMR (400 MHz, CDCl_3): δ 13.1 (1H), 11.8 (1H), 10.4 (1H), 5.9 (1H), 5.8 (1H), 5.3 (1H), 5.2 (1H), 3.9 (2H), 2.1 (3H). FT-IR (neat): ν (cm^{-1}) 2948, 1703, 1666, 1582, 1521, 1256.

5 Synthesis building block 2



A mixture of methylisocytosine (10 g) and carbodiimidazole (20.7 g) in dried DMSO (50 mL) was heated and stirred at 100 °C under an argon atmosphere for 2 hours. The resulting solid was filtered and washed with dry acetone until a white powder remained in the filter, that subsequently was dried in vacuo and stored over P_2O_5 . FT-IR (neat): ν (cm^{-1}) 3174, 1701, 1644, 1600, 1479, 1375, 1320, 1276.

Synthesis building block 3




15

Methylisocytosine (5.2 g) was added to isophoronediiisocyanate (IPDI, 50 mL) and subsequently stirred at 90 °C under an argon atmosphere for 3 days. The resulting clear solution was precipitated in heptane. The white gum was collected, heated in 150 mL heptane, cooled on ice, and filtered. The same procedure was repeated once more with the white residue, resulting in a white powder. ^1H NMR (400 MHz, CDCl_3): δ 13.1 (1H), 12.0 (1H), 10.1 (1H), 5.9 (1H), 4.1-3.1 (3H), 2.1 (3H), 2.0-0.9 (15H). FT-IR (neat): ν (cm^{-1}) 2954, 2255, 1696, 1662, 1582, 1524, 1247.

The product exists in four different isomers: the two regio-isomers depicted above in the reaction scheme are both present in cis and trans configuration. For reasons of clarity, only one isomer is depicted in the following reaction schemes, although all four isomers are present.


5

Synthesis building block 4




1,6-Hexyldiisocyanate (650 g) and methylisocytosine (or 2-amino-4-hydroxy-6-methyl-
 10 pyrimidine, 65.1 g) were suspended in a 2-liter flask. The mixture was stirred overnight at 100 °C under an argon atmosphere. After cooling to room temperature, a liter of pentane was added to the suspension, while stirring was continued. The product was filtered, washed with several portions of pentane and dried in vacuum. A white powder was obtained. ¹H NMR (400 MHz, CDCl₃): δ 13.1 (1H), 11.8 (1H), 10.1 (1H), 5.8
 15 (1H), 3.3 (4H), 2.1 (3H), 1.6 (4H), 1.4 (4H). FT-IR (neat): ν (cm⁻¹) 2935, 2281, 1698, 1668, 1582, 1524, 1256.

Synthesis building block 5




20

2-Acetylbutyrolactone (2 mL) and guanidine carbonate (3.3 g) were put to reflux in absolute ethanol (20 mL) in the presence of triethylamine (5.2 mL). The solution became yellow and turbid. After overnight heating at reflux, the solid was filtered, washed with ethanol, and suspended in water. The pH was adjusted to a value of ca. 6-
 25 7, and the mixture was stirred for a while. Filtration, rinsing of the residu with ethanol and drying of the solid gave the pure product. ¹H NMR (400 MHz, DMSO-d₆): δ 11.2 (1H), 6.6 (2H), 4.5 (1H), 3.4 (2H), 2.5 (2H), 2.1 (3H). FT-IR (neat): ν (cm⁻¹) 3333, 3073, 2871, 1639, 1609, 1541, 1487, 1393, 1233, 1051, 915, 853, 789, 716.

Synthesis building block 6

The building block 5 (1 g) was suspended in 1,6-hexyldiisocyanate (12 mL) and pyridine (1 mL) and was stirred at 90 °C. A clear solution developed, and thereafter some gel particles formed (unwanted). The solution was cooled and filtered through some celite. The filtrate was dropped into pentane giving a white precipitate. This precipitate was again stirred in pentane to remove the last traces of 1,6-hexyldiisocyanate. Isolation via filtration was followed by drying, giving the pure diisocyanate. ¹H NMR (400 MHz, CDCl₃): δ 13.1 (1H), 11.9 (1H), 10.2 (1H), 4.8-4.6 (1H), 4.2 (2H), 3.3 (6H), 3.1 (2H), 2.7 (2H), 2.3 (3H), 1.7-1.2 (16H). FT-IR (neat): ν (cm⁻¹) 3314, 2936, 2263, 1688, 1662, 1640, 1590, 1535, 1444, 1257, 1140, 1025, 780, 742.

15 Building block 7




Building block 5 (12 gram) was suspended in IPDI (150 mL) and was stirred overnight at 90 °C under an argon atmosphere. A clear solution developed. The solution was cooled and precipitated in hexane. The solid was filtered, stirred in another portion of hexane, and then the product was isolated by filtration, washing with hexane and drying of the residu. Yield: 98%. ¹H NMR (400 MHz, CDCl₃): δ 13.1 (1H), 11.9 (1H), 10.2 (1H), 4.8-4.5 (1H), 4.2 (2H), 4.0-3.2 (3H), 3.1-2.9 (3H), 2.7 (2H), 2.3 (3H), 1.9-1.6 (4H), 1.4-0.8 (26H). FT-IR (neat): ν (cm⁻¹) 2954, 2254, 1690, 1664, 1637, 1590, 1532, 1461, 1364, 1307, 1257, 1034, 791. MALDI-TOF-MS, [M⁺]=614, [M+Na⁺]=636. For

convenience, only one isomer of the product is shown. IPDI exists in different regio- and stereoisomers, and the coupling is not selective for one of the isocyanate functions in IPDI.

5 (ii) coupling of reactive synthon building blocks to functional polysiloxanes

Synthesis of polysiloxane 1




- 10 The starting dimethylhydride endblocked polysiloxane DMS H21 has a viscosity of 100 cSt and was obtained from Gelest. In a nitrogen atmosphere, a mixture of DMS H21 (10 g) and the allyl synthon building block 1 (0.8 g) was suspended in toluene (40 mL) to which a neutralized complex of platinum chloride and divinyl tetramethyl disiloxane was added in an amount sufficient to obtain a concentration of 15-20 ppm Pt-metal per
- 15 total composition. This mixture was subsequently stirred at 80 °C in a nitrogen atmosphere for 16h. After cooling down, the reaction mixture was filtered and dried in vacuo. ¹H NMR (400 MHz, CDCl₃): δ 13.1, 11.9, 10.2, 5.9, 3.3, 2.2, 2.0–1.5, 0.6, 0.4–0.1. FT-IR (neat): ν (cm⁻¹) 2963, 1701, 1670, 1587, 1527, 1258, 1010, 780.

20

25 *Synthesis of polysiloxane 2*

15




The starting bis(aminopropyl) endblocked polysiloxane DMS A21 has a viscosity of 100-120 cSt and was obtained from Gelest. The carbo-imidazole activated methyl isocytosine building block 2 (1.5 g) was added to a solution of DMS A21 (14.7 g) in tetrahydrofuran (200 mL). This mixture was subsequently heated to an oil bath temperature of 80 °C and stirred at this temperature for 16 h under an argon atmosphere. Chloroform (200 mL) was added to the reaction mixture that was subsequently filtered over silica. The clear filtrate was washed twice with saturated sodium chloride solution in water. The organic fraction was dried over Na₂SO₄, filtered and dried in vacuo to obtain an off-white, clear, elastic material. Molecular mass (M_n) is 3.0 kg/mol; molecular weight distribution 1.8, determined by gel permeation chromatography (polystyrene standards). ¹H NMR (400 MHz, CDCl₃): δ 13.1, 11.9, 10.2, 5.9, 3.3, 2.3, 1.6, 0.6, 0.4–0.1. FT-IR (neat): ν (cm⁻¹) 2961, 1698, 1659, 1587, 1527, 1258, 1010, 780. SEC (THF, PS-standards): M_w = 8.1 kD.

20

25

Synthesis of polysiloxane 3

16




The starting aminopropyl-grafted polysiloxane AMS 152 has a viscosity of 150-260 cSt, $m = 4-5$, and was obtained from Gelest. The carbo-imidazole activated methyl isocytosine building block 2 (2.1 g) was added to a solution of AMS 152 (15.2 g) in tetrahydrofuran (150 mL). This mixture was subsequently heated to an oil bath temperature of 80 °C and stirred at this temperature for 16 h under an argon atmosphere. After cooling, chloroform (150 mL) was added to the reaction mixture that was subsequently filtered over silica. The clear filtrate was washed twice with saturated sodium chloride solution in water. The organic fraction was dried over Na_2SO_4 , filtered and dried in vacuo to obtain an off-white clear elastic material. Molecular mass (M_n) is 6.3 kg/mol; molecular weight distribution 1.9, determined by gel permeation chromatography (polystyrene standards). ^1H NMR (400 MHz, CDCl_3): δ 13.1, 11.9, 10.2, 5.9, 3.3, 2.3, 1.6, 0.6, 0.4–0.1. FT-IR (neat): ν (cm^{-1}) 2961, 1698, 1659, 1587, 1527, 1258, 1010, 780. SEC (THF, PS-standards): $M_w = 12$ kD.

20

Synthesis of polysiloxane 4

17




The starting aminopropyl-grafted polysiloxane AMS 162 has a viscosity of 80-120 cSt, $m = 3-4$, and was obtained from Gelest. The isocyanate-functionalized methyl isocytosine building block 3 (2.5 g) was added to a solution of AMS 162 (15.1 g) in tetrahydrofuran (150 mL). This mixture was subsequently stirred at room temperature for 6 h under an argon atmosphere. Chloroform (100 mL) was added to the reaction mixture that was subsequently filtered over silica. The clear filtrate was dried in vacuo to obtain a clear and colorless material. ^1H NMR (400 MHz, CDCl_3): δ 13.2, 11.9, 10.0, 5.9, 4.2-3.8, 3.4-2.5, 2.2, 2.0-0.8, 0.6, 0.4- -0.1. FT-IR (neat): ν (cm^{-1}) 2961, 1643, 1571, 1258, 1010, 780. SEC (THF, PS-standards): $M_w = 33$ kD.


15

20

Synthesis of polysiloxane 5




The starting aminoethylpropylamine grafted polysiloxane is also known as amidomethicone, sold for example by GE Bayer Silicones as SF1708 (viscosity = 1250-2500 mm²s⁻¹, amine equivalent is 0.8 meq/g, m and n are proprietary to GE Bayer Silicones). The isocyanate-functionalized methyl isocytosine building block 3 (5.9 g) was added to a solution of the aminoethylpropylamine-grafted polysiloxane (19.8 g) in tetrahydrofuran (500 mL). This mixture was subsequently stirred at room temperature for 2 h under an argon atmosphere. The viscous reaction mixture was diluted with ethanol (100 mL), and precipitated in methanol. The precipitate was dried in vacuo to obtain a white transparent glass. ¹H NMR (400 MHz, DMSO/CDCl₃): δ 8.4-8.2, 6.1, 4.0-3.8, 3.4-2.8, 2.3, 1.8-1.4, 1.3-0.7, 0.4, 0.3- -0.1. FT-IR (neat): ν (cm⁻¹) 2962, 1663, 1614, 1573, 1258, 1010, 790. SEC (THF, PS-standards): M_w = 28 kD.




The starting oligoglycol-grafted polysiloxane is also known as dimethicone copolyol, sold for example by Dow Corning as DC193 (viscosity = 465 cSt, m, n and c are proprietary to Dow Corning). The isocyanate-functionalized methyl isocytosine building block 3 (2.2 g) was added to a solution of the dried oligoglycol-grafted polysiloxane (6.13 g) in toluene (100 mL). This mixture was subsequently stirred at 80 °C for 16 h under an argon atmosphere in the presence of a few drops of dibutyltin dilaurate catalyst. The reaction mixture was concentrated to a third of its original volume, followed by precipitation in diethylether. The resulting polymer was obtained as a white gum. ¹H NMR (400 MHz, CDCl₃): δ 13.1, 11.8, 10.0, 5.9, 4.2, 4.0-2.8, 2.2, 2.0-1.5, 1.4-0.7, 0.5, 0.3- -0.1. FT-IR (neat): ν (cm⁻¹) 2868, 1698, 1662, 1579, 1526, 1256, 1091, 1020, 773. SEC (THF, PS-standards): M_w = 5.5 kD.

Synthesis of polysiloxane 7



The starting bishydroxyalkyl terminated polysiloxane TEGO IS4181 has a viscosity of 60-80 MPa.s and is obtained from Goldschmidt. Polymer TEGO IS4181 (10.5 g) was dissolved in toluene (50 mL) and the resulting solution was added drop wise over a two hour period to IPDI (5.7 g) and dibutyltindilaurate (8 drops) dissolved in toluene (100 mL). The mixture was subsequently stirred at room temperature for 48 h under an argon atmosphere, followed by stirring at 40 °C for 2 h. Thereafter, pyridine (15 mL) and methylisocytosine (3.6 g) were added to this mixture, that was then boiled for 16 h. FT-IR confirmed that the NCO-groups had reacted and the volatiles were removed from the reaction mixture by evaporation. The mixture was dissolved in chloroform, the remaining solids were removed by filtration and the filtrate was added drop wise into hexanes. The polymer precipitated and was isolated as a transparent glass after drying. The molecular mass was 1.4 kg/mol; molecular weight distribution 1.3, determined by gel permeation chromatography (polystyrene standards). ¹H NMR (400 MHz, CDCl₃): δ 13.1, 12.0, 10.0, 5.8, 4.5, 4.2-3.6, 3.2-2.8, 2.3, 1.8-1.5, 1.4-0.8, 0.5, 0.2- -0.1. FT-IR (neat): ν (cm⁻¹) 2958, 2924, 2852, 1694, 1663, 1613, 1574, 1526, 1462, 1257, 1018. SEC (THF, PS-standards): M_w = 12 kD.

Synthesis of polysiloxane 8




20

Bishydroxyalkyl terminated polysiloxane TEGO IS4181 from Goldschmidt (9.8 g) was stripped with toluene, dissolved in chloroform (20 mL) and added drop wise over a 2 hours period to a solution containing IPDI (4.75 g), chloroform (6 mL) and a few drops of dibutyltin dilaurate. The mixture was stirred overnight at room temperature. The solvent was then removed by evaporation and pyridine (40 mL) and building block 5


25

(1.8 g) were added. The suspension was stirred overnight at 90 °C, so that a viscous clear solution was obtained. FT-IR analysis confirmed completeness of reaction as the NCO-band had disappeared. The pyridine was removed by evaporation and the polymer was dissolved in chloroform with 10% ethanol. This solution was dropped into
 5 methanol yielding precipitated polymer, that was isolated and dried in vacuo. ¹H NMR (300 MHz, CDCl₃/CD₃OD): δ 4.8-4.5, 4.3-3.6, 3.3-2.6, 2.3, 2.0-0.8, 0.5, 0.2 - -0.1. FT-IR (neat): ν (cm⁻¹) 3238, 2958, 1714, 1661, 1635, 1580, 1536, 1437, 1257, 1019, 794. SEC (THF, PS-standards): M_n = 7.0, D = 1.9.

10 *Synthesis of polysiloxane 9*




Building block 7 (1.17 g) in chloroform (100 mL) was added drop wise to
 15 bis(aminopropyl) terminated polysiloxane DMS-A32 (51.5 g; this polymer has a viscosity of 2000 cSt and is obtained from Gelest; M_n = 27 kD) in chloroform (400 mL). The solution was stirred at room temperature, and after addition of the diisocyanate the mixture was heated overnight at 50 °C under an argon atmosphere. A gel had developed that was broken up by addition of 300 mL chloroform and 50 mL
 20 pyridine. The solution was stirred for another hour, the volatiles were evaporated, the mixture was co-evaporated with toluene and, finally, the product was isolated by precipitation into methanol from a dichloromethane/methanol (4/1) solution. The product was dried in vacuo. The product is a transparent, colorless, rubbery material that can be ripped upon mechanical action. ¹H NMR (400 MHz, CDCl₃/CD₃OD): δ 4.2-4.0, 3.8-3.6, 3.2-3.0, 2.9-2.6, 2.2, 1.7-1.5, 1.5-1.4, 1.1-0.7, 0.5, 0.3 - -0.5. SEC (THF,
 25 PS-standards): M_n = 70.5 kD, D = 2.7.

Synthesis of polysiloxane 10

5

The diisocyanate building block 6 (0.126 g) in chloroform (6 mL) was added drop wise to the bis(aminopropyl) endblocked polysiloxane DMS A32 (6.71 g; this polymer has a viscosity of 2000 cSt and is obtained from Gelest) in chloroform (20 mL). The solution was stirred at room temperature giving a viscous solution and thereafter a gel. The gel was diluted with chloroform and ethanol. Precipitation into methanol gave a polymer that was isolated and dried in vacuo. The colourless polymer has a soft touch, is somewhat elastic and crumbles upon mechanical force. ^1H NMR (400 MHz, $\text{CDCl}_3/\text{CD}_3\text{OD}$): δ 4.2, 3.3, 3.2, 2.8, 2.3, 1.7-1.2, 0.5, 0.3 - -0.1. FT-IR (neat): ν (cm $^{-1}$) 2963, 1725, 1695, 1665, 1607, 1582, 1447, 1413, 1258, 1079, 1009. SEC (THF, PS-standards): M_n = 129 kD, D = 1.8.

15


Synthesis of polysiloxane 11

20

The isocyanate building block 4 (0.107 g) in chloroform (10 mL) was added drop wise to the bis(aminopropyl) endblocked polysiloxane DMS A32 (4.93 g) in chloroform (20

mL). The solution was stirred at room temperature giving a viscous solution. After an hour, ^1H NMR and FT-IR analysis confirmed the disappearance of both the amines and the isocyanates. The reaction mixture was dropped into methanol to give a polymer that was isolated and dried in vacuo. ^1H NMR (400 MHz, $\text{CDCl}_3/\text{CD}_3\text{OD}$): δ 5.8, 3.1, 3.0, 2.2, 1.6-1.2, 0.5, 0.2 - -0.2. FT-IR (neat): ν (cm^{-1}) 2963, 1706, 1662, 1626, 1595, 1447, 1413, 1258, 1080, 1009. SEC (THF, PS-standards): $M_w = 45$ kD.


Synthesis of polysiloxane 12




10

The starting bis(aminopropyl) endblocked polysiloxane DMS A21 has a viscosity of 100-120 cSt, and was obtained from Gelest. The isocyanate-functionalized methyl isocytosine building block 3 (2.1 g) was added to a solution of DMS A21 (14.3 g) in tetrahydrofuran (150 mL). This mixture was subsequently stirred at room temperature for 6 h under an argon atmosphere. Chloroform (100 mL) was added to the reaction mixture that was subsequently filtered over silica. The clear filtrate was dried in vacuo to obtain a clear and colorless material. Molecular mass is 3.3 kg/mol; molecular weight distribution 2.2, determined by gel permeation chromatography (polystyrene standards). ^1H NMR (400 MHz, CDCl_3): δ 13.2, 11.9, 10.0, 6.1, 4.2-3.8, 3.4-2.8, 2.6-2.2, 2.1, 2.0-0.8, 0.6, 0.4 - -0.1. FT-IR (neat): ν (cm^{-1}) 2961, 1643, 1571, 1258, 1010, 780. SEC (THF, PS-standards): $M_w = 9.1$ kD.

25

Synthesis of polysiloxane 13


The starting bis(aminopropyl) endblocked polysiloxane DMS A32 has a viscosity of 2000 cSt, and was obtained from Gelest. The isocyanate-functionalized methyl isocytosine building block 3 (0.57 g) was added to a solution of DMS A32 (21.2 g) in tetrahydrofuran (150 mL). This mixture was subsequently stirred at room temperature for 6 h under an argon atmosphere. Chloroform (100 mL) was added to the reaction mixture that was subsequently filtered over silica. The clear filtrate was dried in vacuo to obtain a clear and colorless material. ¹H NMR (400 MHz, CDCl₃): δ 13.2, 11.9, 10.0, 6.1, 4.2-3.8, 3.4-2.8, 2.6-2.2, 2.1, 2.0-0.8, 0.6, 0.4- -0.1. FT-IR (neat): ν (cm⁻¹) 2961, 1643, 1571, 1258, 1010, 780. SEC (THF, PS-standards): M_w = 43 kD.

Synthesis of polysiloxane 14


15

Building block 7 (0.41 g), telechelic alcohol terminated polydimethylsiloxane KF-6003 (3.53 g, M_n = 5.0 kD; obtained from Shin Etsu, Japan) and a few drops of dibutyl tin dilaurate were stirred overnight in toluene (10 mL) under an argon atmosphere and at an oil bath temperature of 120 °C. The polymer was isolated by precipitation into methanol, and subsequent collection and drying of the solid. The polymer is colourless, soft and transparent. ¹H NMR (300 MHz, CDCl₃/CD₃OD): δ 4.0, 3.5, 3.3, 2.9, 2.8, 2.2, 1.5, 1.1-0.7, 0.4, 0.3 - -0.2. SEC (THF, PS-standards): M_w = 66 kD, D = 2.0.

20

Synthesis of polysiloxane 15


Telechelic alcohol terminated polydimethylsiloxane KF-6003 (12.14 g), 1,6-hexyldiisocyanate (0.28 g) and one drop of dibutyl tin dilaurate were stirred overnight
 5 in chloroform (35 mL) at 40 °C under an argon atmosphere. The mixture was evaporated down yielding a polysiloxane prepolymer with an average molecular weight of 15 kD. Part of this intermediate product (2.11 g), building block 7 (86 mg), one drop of dibutyltin dilaurate and toluene (10 mL) was heated overnight under an argon atmosphere and at an oil bath temperature of 120 °C. The polymer was isolated by
 10 precipitation into methanol, and subsequent collection and drying of the solid. The polymer is a colourless, transparent, somewhat sticky material. ¹H NMR (400 MHz, CDCl₃): δ 4.8, 4.2, 3.8-3.0 (multiple signals), 2.3, 1.8-0.9 (multiple signals), 0.5, 0.2 - - 0. SEC (THF, PS-standards) : M_n = 37 kD, D = 2.8.

Synthesis of polysiloxane 16

Telechelic alcohol terminated PEO-1500 (0.72 g) was stripped three times with toluene before it was mixed with building block 7 (0.59 g), two drops of dibutyl tin dilaurate and chloroform (10 mL). The solution was stirred at reflux under argon for 20 hours.
 20 Bis(aminopropyl) terminated polydimethylsiloxane DMS-A21 (2.40 g; this polymer has a viscosity of 100-120 cSt, a molecular weight of 5.0 kD and is obtained from Gelest) in toluene and a few mL of pyridine was added to the solution and stirring at an oil bath temperature of 80 °C was maintained for another 20 hours). Precipitation into
 25 water and drying gave the polymer product. The material is slightly yellow, soft and crumbles upon mechanical force. ¹H NMR (400 MHz, CDCl₃/CD₃OD): δ 4.0, 3.6, 3.2-2.5 (multiple signals), 2.2, 1.6-0.6 (multiple signals), 0.4, 0.1 - -0.1. SEC (THF, PS-standards): M_w = 10 kD.


Synthesis of polysiloxane 17

26



The starting hydroxy terminated poly(ethylene oxide)-polysiloxane- poly(ethylene oxide) triblock copolymer DBE C25 has a viscosity of 400-450 cSt and was obtained from Gelest. DBE C25 (30.9 g) was stripped three times with toluene before it was
 5 mixed with building block 4 (6.1 g), four drops of dibutyl tin dilaurate and chloroform (300 mL). The solution was stirred at reflux under argon for 20 hours. Subsequently, 150 mL THF was added and the viscous solution was filtered over celite, concentrated to 30% of its original volume and precipitated in hexane. The off-white material is soft and somewhat brittle. ¹H NMR (400 MHz, CDCl₃): δ 13.2, 11.9, 10.2, 5.9, 4.3, 4.0-3.0,
 10 2.3, 2.0, 1.8-1.2, 0.5, 0.4 - -0.1. SEC (THF, PS-standards): M_w = 5.9 kD.


Synthesis of polysiloxane 18



The starting hydroxy terminated polycaprolactone-polysiloxane- polycaprolactone
 15 triblock copolymer has molecular weight of 6800 and was obtained from Goldschmidt, Germany (TEGO IS 4480 P). TEGO IS 4480 P (5.8 g) was stripped three times with toluene before it was mixed with building block 3 (0.71 g), two drops of dibutyl tin dilaurate and toluene (30 mL). The solution was stirred at reflux under argon for 16 hours. Subsequently, the viscous solution was filtered over celite, concentrated to 30%
 20 of its original volume and precipitated in methanol, resulting in a white, semi-soft material.). ¹H NMR (400 MHz, CDCl₃): δ 13.1, 12.0, 10.0, 5.8, 4.6, 4.4-3.6, 3.2-2.8, 2.4-2.0, 1.8-0.8, 0.5, 0.2 - -0.1. SEC (THF, PS-standards): M_w = 15 kD.

25

Synthesis of polysiloxane 19



Building block 7 (0.58 g) in toluene (4 mL) was added drop wise to the bis(aminopropyl) terminated polysiloxane DMS-A21 (4.68 g; this polymer has a viscosity of 100-120 cSt and is obtained from Gelest; $M_n = 5$ kD) in toluene (16 mL).

- 5 The solution was stirred at room temperature giving a viscous solution and thereafter a gel. Heating of the oil bath to 120 °C and addition of pyridine (2 mL) gave a solution again that was stirred overnight under an argon atmosphere. Precipitation into methanol gave a polymer that was isolated and dried in vacuo. The product is a somewhat hard, transparent, colorless material that crumbles upon mechanical action. 1H NMR (400
- 10 MHz, $CDCl_3/CD_3OD$): δ 4.2-4.0, 3.8-3.6, 3.2-2.9, 2.8-2.6, 2.2, 1.7-1.5, 1.4, 1.1-0.6, 0.4, 0.2 - -0.2.

(iii) Bulk properties

- 15 The polysiloxanes with supramolecular interactions between the 4H-units display unique bulk properties when considered that these polymers are essentially low in molecular weight. This is illustrated by the rheological characteristics measured for polysiloxane 4. The master curves at 40 °C of the storage (G') and loss modulus (G''), and the dynamic viscosity (η^*) obtained with dynamic oscillatory shear measurements
- 20 display typical viscoelastic behavior: viscous flow below 0.05 rad/s with a zero-shear viscosity of 0.9×10^6 Pa·s, and rubbery behavior at frequencies over 1 rad/s with a storage modulus of 1.2×10^6 Pa. Moreover, the complex viscosity of polysiloxane 4 decreases strongly at higher frequencies. This behavior is unique and due to the presence of the 4H-units in the polymer. In contrast, the parent non-functionalized
- 25 polysiloxane shows very poor material properties: no viscoelastic transition, a viscosity that is 5 decades lower, and shift of G'' of more than 4 decades towards higher frequencies.

(iv) Gellation Experiments

- 30 *Typical procedure:*

The appropriate amount of modified polysiloxane (the gellant) is added to a cyclomethicone solution followed by heating to 90 °C while mechanically stirring. When all gellant is dissolved the mechanical stirrer is removed and the mixture is cooled to room temperature, resulting in a clear gel. Table 1 lists several gels that can be obtained with the polysiloxanes disclosed in this invention.

Table 1: Gels obtained by mixing modified polysiloxanes with decamethylcyclopentasiloxane (D5).

Modified Polysiloxane	weight% gellant	weight% D5	observation
polysiloxane 3	20	80	gel
polysiloxane 4	10	90	soft gel
polysiloxane 4	12	88	gel
polysiloxane 4	20	80	hard gel
polysiloxane 10	2	98	elastic gel
polysiloxane 11	4	96	elastic gel
polysiloxane 12	5	95	gel
polysiloxane 4/polysiloxane 12 (1/3 w/w)	8	92	gel

Cosmetic examples

A deodorant stick was obtained by mixing the following ingredients (amounts are given in percents by weight base on the total weight of the composition): 4% of polysiloxane 10 and 95% of decamethylcyclopentasiloxane were heated to 90 °C while stirring until a homogeneous solution was obtained. The mixture was subsequently cooled to 70 °C and 1% of a deodorant active fragrance was added as stirring was continued. The reaction was subsequently poured into the desired container and cooled down to room temperature.


An antiperspirant stick was obtained by mixing 6% of polysiloxane 13, 53% of decamethylcyclopentasiloxane, and 1% DC193 (dimethicone polyol) were heated to 90 °C while stirring until a homogeneous solution was obtained. To this mixture a heated

(90 °C) solution containing 39% aluminum chlorohydrate (50% aqueous solution) and 1% DC193 was slowly added, while the mixture was vigorously stirred. Stirring was continued while the mixture was cooled to 75 °C within 15 minutes. Optionally fragrance is added, followed by pouring the hot mixture into the desired container and


5 cooled down to room temperature.

Claims

1. A polysiloxane having the following general formulae (3a) or (3b):




(3a)



(3b)


- in which the radicals R1, that may be identical or different, are selected from substituted and unsubstituted monovalent nonaromatic ethylenically free C₁-C₂₀ hydrocarbon radicals, or are selected from aromatic radicals;
- Q₁ and Q₂ and Q₃ are equal and denote one or more structural elements that are capable of forming at least four hydrogen bridges (also referred to as 4H-unit) and that are attached via a linker through a silicon-carbon bond to the polymer; or
- Q₁ and Q₃ are equal and denote one or more 4H-units attached via a linker through a silicon-carbon bond to the polymer and Q₂ is defined as R1; or
- Q₁ denotes one or more 4H-units attached via a linker through a silicon-carbon bond to the polymer and Q₂ and Q₃ are defined as R1; or
- Q₂ denotes one or more 4H-units attached via a linker through a silicon-carbon bond to the polymer and Q₁ and Q₃ are equal and are defined as R1; and
- Q₄ is a 4H-unit having two linkers that are attached through a silicon-carbon bond to the polymer chain, and m, n and c are integers such that the mean molecular weight of the polysiloxane ranges from 500 to 250000.
2. Polysiloxane according to claim 1, wherein R1 is selected from alkyl radicals, preferably C₁-C₂₀ alkyl radicals, cycloalkyl radicals, preferably C₁-C₂₀ cycloalkyl radicals, aryl radicals, preferably C₁-C₂₀ aryl radicals, and arylalkyl radicals, preferably C₁-C₂₀ arylalkyl radicals.

3. Polysiloxane according to claim 1, wherein the 4H-unit is represented by the formulae (1) of (2):



- 5 ... X₄ represent donors or acceptors that form hydrogen bridges with the H-bridge-forming unit containing a corresponding structural element (2) linked to them, with X_i representing a donor and Y_i an acceptor or vice versa.
- 10 4. Polysiloxane according to claim 3, wherein the 4H-unit has two successive donors, followed by two successive acceptors, preferably structural elements according to the general form (1), in which X₁ and X₂ both represent a donor or an acceptor, respectively, and X₃ and X₄ both an acceptor or a donor, respectively.
5. Polysiloxane according to claim 4, wherein the donors and acceptors are O, S, and/or N atoms.
- 15 6. Polysiloxane according to any one of the preceding claims, wherein the structural elements Q1 - Q4 are constructed from nitrogen containing compounds that are reacted with isocyanates or thioisocyanates, or that are activated and reacted with primary amines.
7. Polysiloxane according to claim 6, wherein the nitrogen containing compounds are selected from isocytosine or triazine derivatives or a tautomer thereof.
- 20 8. Polysiloxane according to claim 6, wherein the isocyanates are diisocyanates and wherein the thioisocyanates are dithioisocyanates.
9. Polysiloxane according to claim 6, wherein the nitrogen containing compounds are reacted with isocyanates, preferably diisocyanates.
- 25 10. Polysiloxane according to any one of claims 6 - 9, wherein the isocyanate is selected from IPDI, HDI, MDI and TDI.

11. Polysiloxane according to any one of the preceding claims, wherein the structural elements Q1 - Q4 have the general formula (4) or a tautomer thereof:



5 (4)

wherein R2, R3 or R4 represent a linking moiety through which the 4H-unit according to formula (4) or a tautomer thereof is bonded to the polysiloxane with the other R groups representing a random side chain or are hydrogen atoms.

- 10 12. Polysiloxane according to claim 11, wherein R2 is the linking moiety, and wherein R3 and R4 are a random side chain or are hydrogen atoms.
13. Polysiloxane according to claim 11 or claim 12, wherein R3 is a random side chain and wherein R4 is a hydrogen atom
14. Polysiloxane according to any one of claims 11 - 13, wherein the random side chain
15 is an alkyl or oligoethylene glycol group.
15. Polysiloxane according to any one of claims 11 - 13, wherein R2 and R3, or R2 and R4 represent linking moieties through which the 4H-unit according to formula (4) is bonded to the polysiloxane with the other R group representing a random side chain or a hydrogen atom.
- 20 16. Polysiloxane according to claim 15, wherein R2 and R4 are the linking moieties, whereas R3 is a random side chain or a hydrogen atom.
17. Use of a polysiloxane according to any one of claims 1 - 16 as a thickener or gellant agent for silicone fluids.
18. Use of a polysiloxane according to any one of claims 1 - 16 in personal care
25 applications.
19. Use according to claim 18, wherein the personal care applications are cosmetic or dermatological compositions.
20. Silicone fluid comprising 1 - 40% by weight of a polysiloxane according to any one of claims 1 - 16.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/NL 03/00870

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C08G77/388 C08G77/26 C08G77/54 A61K7/32 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C08G A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	FR 2 825 628 A (OREAL) 13 December 2002 (2002-12-13) claims 1-9, 11 page 3, line 33 - page 5, line 5 page 24, line 24 - line 30 page 31, line 1 - page 36, line 12	1-20
P, X	US 2003/092838 A1 (COLOMBANI OLIVIER ET AL) 15 May 2003 (2003-05-15) claims 1-18 paragraph '0027! paragraph '0093! - paragraph '0103! example 4 ----- -/--	1-16

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the International filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the International filing date but later than the priority date claimed

T later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

* & * document member of the same patent family

Date of the actual completion of the International search

24 March 2004

Date of mailing of the International search report

02/04/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Depijper, R

INTERNATIONAL SEARCH REPORT

International Application No
PCT/NL 03/00870

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98/14504 A (BEIJER FELIX HUGO ; BRUNSVELD LUCAS (NL); DSM NV (NL); MEIJER EGBERT W) 9 April 1998 (1998-04-09) claims 1-8 page 5, line 13 - page 6, line 18 page 21 - page 23; examples 12,13	1-16
A	EP 0 433 188 A (RHONE POULENC CHIMIE) 19 June 1991 (1991-06-19) claims 1-12	1
P,A	EP 1 310 533 A (AGFA GEVAERT) 14 May 2003 (2003-05-14) claims 1,2	1
A	US 5 919 441 A (SCHMIDT HANS-WERNER ET AL) 6 July 1999 (1999-07-06) cited in the application claim 1	1
A	US 2001/053377 A1 (MONDET JEAN ET AL) 20 December 2001 (2001-12-20) claim 1	1

INTERNATIONAL SEARCH REPORT

 International application No
 PCT/NL 03/00870

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2825628	A	13-12-2002	FR 2825628 A1 EP 1392222 A1 WO 02098377 A1	13-12-2002 03-03-2004 12-12-2002
US 2003092838	A1	15-05-2003	FR 2830256 A1 EP 1300447 A1 JP 2003231817 A	04-04-2003 09-04-2003 19-08-2003
WO 9814504	A	09-04-1998	NL 1004192 C2 AT 231891 T AU 4401897 A DE 69718802 D1 DE 69718802 T2 DK 929597 T3 EP 0929597 A1 ES 2191853 T3 WO 9814504 A1 US 6320018 B1	07-04-1998 15-02-2003 24-04-1998 06-03-2003 20-11-2003 12-05-2003 21-07-1999 16-09-2003 09-04-1998 20-11-2001
EP 0433188	A	19-06-1991	FR 2655651 A1 EP 0433188 A1 JP 4208265 A	14-06-1991 19-06-1991 29-07-1992
EP 1310533	A	14-05-2003	EP 1310533 A2	14-05-2003
US 5919441	A	06-07-1999	AT 232717 T AU 2430497 A AU 762026 B2 AU 4383001 A BR 9708473 A CA 2249319 A1 CZ 9803149 A3 DE 69719187 D1 DE 69719187 T2 EP 0912163 A1 ES 2193371 T3 IL 126243 A NZ 331918 A PL 329054 A1 TR 9801971 T2 WO 9736572 A1 AT 225644 T AU 2601197 A CA 2249325 A1 DE 69716250 D1 DE 69716250 T2 DK 891183 T3 EP 0891183 A1 ES 2185005 T3 PT 891183 T WO 9736573 A1 RU 2184529 C2	15-03-2003 22-10-1997 19-06-2003 26-07-2001 13-04-1999 09-10-1997 12-05-1999 27-03-2003 18-12-2003 06-05-1999 01-11-2003 11-01-2001 28-04-2000 01-03-1999 22-02-1999 09-10-1997 15-10-2002 22-10-1997 09-10-1997 14-11-2002 11-09-2003 10-02-2003 20-01-1999 16-04-2003 28-02-2003 09-10-1997 10-07-2002
US 2001053377	A1	20-12-2001	FR 2808679 A1 EP 1155687 A1 JP 2001316244 A	16-11-2001 21-11-2001 13-11-2001